# Induction appliance with 2 multifunction hobs MS-I-20M, 2 × 7 kW

Item no. 120822



# Standalone devices of cooking suite quality: Multifunction at the double

The most flexible solution for prep and service kitchens. Can be used for large or even several small pans. Two induction hobs controlled independently in the most compact of dimensions.

# Benefits that are spot on

- Energy saving increased by 50 to 85% as compared to conventional cooking technology
- Minimum heat emission levels allow for an optimum kitchen working environment
- Extremely quick boiling times. Maximum heat output is achieved within just a few seconds.
- Freely adjustable, highly precise energy metering for perfectly cooked food
- Maximum power density per cm<sup>2</sup> at pan base

- Pan type detection (material, size, power consumption properties)
- 2-zone pot detection and temperature monitoring
- Automatic fan monitoring

#### Equipment

Multi-segment digital display Extra-strong ceramic glass Removable grease filter Height-adjustable feet



# 5<sup>th</sup>-generation technology

MENU SYSTEM
Induction technology



- MENU SYSTEM induction technology is the most up-to-date, highest performing and most advanced induction technology in the world.
- MENU SYSTEM leads the market, developing and producing all the components of this induction technology in-house.
- Its unique position in the field of cooking equipment construction enables the company to concentrate all its efforts on this forwardlooking technology.
- No other company has more experience in the development and application of induction technology in professional kitchens.

## MS-I-20M Item no. 120822





# Multifunction at the double

#### 2 Multifunction induction hobs 7kW each

The multifunction induction hob is ideal for cooking with two to four pans. Thanks to the capacity and high power density of the coil, it's a perfect choice for both production and finishing.

- For 4 saucepans measuring 16 cm or a cooking pot up to 38 cm
- Effective field ø 340 × 360 mm
- 2-zone pot detection and temperature monitoring


# Design


- Hob made from high-quality glass-ceramic
- Complete housing made from solid stainless steel (Chromium nickel steel 1.4301)
- Removable, easy to clean grease filter
- Height-adjustable feet
- Continuously variable, electronic power control for highly precise energy metering
- One-handed operation using a rotary switch
- Control and power electronics resistant to power supply fluctuations



### **Technical data**

Dimension	$700 \times 400 \times 200 \text{ mm}$
Glass dimension	660 × 360 mm
Connected load	2 x 7 kW
	3×400-440 VAC
	50/60 Hz
Heat emission	latent 980 W
	sensible 1120 W
Plug	CEE 16 or type 25
Cable length	2.2 m
Weight	32 kg





# **Safety instructions**

The exhaust air must be allowed to escape unobstructed. The grease filters must be cleaned regularly.



The experience MENU SYSTEM has gained as the leader of the induction cooking suite market flows directly into the design and development of our standalone appliances. Accordingly, our standalone appliances provide the ideal response to the needs of professionals.



# **Quality guaranteed**

Our manufacturer's warranty vouches for the quality of our products. Depending on country and region, service and warranties are looked after either by MENU SYSTEM directly or by our authorised partners.



#### Made in Switzerland

With MENU SYSTEM, induction technology, electrical technology and metal-worked components all come from a single source. The high degree of vertical integration guarantees full control based on quality and expertise. For MENU SYSTEM, «Made in Switzerland» isn't just a label – it's a philosophy and a living reality.